

Programming Languages (2)
Parametric Polymorphism (aka Generic
Types/Functions)

Kenjiro Taura

Motivation

want to write

- ▶ a function that *sorts arrays of various types* (e.g., ints, floats, strings, structs, ...)
- ▶ a function that *extracts elements from a list satisfying $p(x)$*
- ▶ *containers including stacks, queues, trees, graphs, hashtables, etc.* of various types, ...
- ▶ variety of *graph algorithms (breadth-first search, depth-first search, connected components, partitioning, etc.)* that can/should work regardless of the exact data type of each node
- ▶ ...

without duplicating code for each underlying type

A trivial example (generic function)

write a function

$$f(a) = a[0]$$

in your language (an element of an array, let's say)

Questions:

- ▶ do you have to specify the type of a ?
- ▶ if so, how you can say “*a must be an array but whose element can be any type*”
- ▶ if not, can it automatically apply to any array?
 - ▶ *does it type-check statically* (i.e., what if you pass something not an array)?

So that you don't get bogged down ...

things are conceptually straightforward, pains are around *spelling out types*; *just master the syntax*

- ▶ a type of *functions taking an integer and returning a float*
 - ▶ Go : `func (int64) float64`
 - ▶ Julia :
 - ▶ OCaml : `int -> float`
 - ▶ Rust : `fn (i64) -> f64`
- ▶ a type of typical containers, such as array/slice/vector of ints, list of floats, etc.
- ▶ *for any type, satisfying an interface/trait, this function* takes a parameter of type (array of T) and returns a value of type (T)